

Ideal Water's Kwik-Change Reverse Osmosis

Internal valve shuts-off flow during cartridge and membrane replacement.

Hinge bracket for easy cartridge removal and replacement.

Cartridge replacement is so easy, you or the homeowner can do it!

Proprietary filter cartridges and membranes are installed and removed by a simple 1/4 turn.

Cartridges have double o-rings to prevent leakage.



WQA Gold Seal
Certified to
NSF / ANSI
Std. 58



Ideal Water's Kwik-Change RO System is designed for consumers that want a quality, high yield RO system with easy to replace cartridge. Unlike conventional reverse osmosis systems, Kwik-Change cartridges have no sumps, so their proprietary filter elements and membranes are easy to replace.

Product Includes: 100 Gallons per Day •
Metal Tank - Standard • Top Mount Faucets •
Easy to Replace Cartridges •

Features & Benefits

- Cartridges are connected and removed with a simple 1/4 turn.
- No filter sumps! No fuss! No mess!
- Automatic shut-off when cartridges are removed.
- Tank and faucet options available.
- Valves are built into the heads to prevent back-flow for water quality assurance.
- WQA Gold Seal Certified to NSF/ANSI Std. 58.



Watts® top mount faucets are mounted from above the counter top.



Metal storage tank



RO Pro® Storage Tanks

Only 9" wide, takes less space and won't chip, rust or dent!

Ideal Water's Kwik-Change RO systems are so easy to service you'll get great quality water every time!



Conventional RO Systems

Conventional RO systems may provide high quality water. However, cartridges and membranes are difficult to replace because they are installed in housings and must be removed. This procedure includes the need to shut off and drain down the system, open the housings with a wrench, remove cartridges, empty water from the sumps, clean the filter and membrane housings, replace cartridges, re-pressurize, and check for leaks.

Because conventional systems are difficult to service, routine maintenance may be delayed. Therefore, consumers may not get the quality water they desire, unless a qualified dealer is called to service their system.



VS.

Kwik-Change RO System

No Sumps! No Mess! No Fuss!

- Hinge bracket for easy handling.
- Automatic shut off when cartridges are removed with a simple, 1/4 turn.
- No need to disconnect tubing when replacing membranes.
- Integrated check valves between cartridges and membrane prevent back-flow.
- Cartridges have double o-rings so they will not leak.
- Quick connect fittings for easy installation.

Models

MODEL NUMBER	STAGE	CAPACITY (GPM)	SIZE ELEMENTS	FAUCET	TANK
WQC4RO13-100MT	4	100	13"	Top mount	Metal

Replacement elements

MODEL	ELEMENT	SEDIMENT	CARBON	MEMBRANE	GAC
100 GPD System	13"	WQCSC13	WQCCC13	WQCM13-100	WQCGAC13